



PROTECTION

BLAST PROTECTED COMBAT BOOT BCB2

Protection boot against
anti-personnel landmines



forceware.de

BLAST PROTECTED COMBAT BOOT BCB2

Protection boot against anti-personnel landmines

The BCB2 protection boot is the latest boot designed by Force Ware. It is especially developed for the use in humanitarian and military mine clearance operations with its metal free design. The BCB2 provides ballistic protection by degrading the effect of explosions due to mines. It offers an effective protection against mines containing up to 50 g (0.11 lbs) of explosives.



The BCB2 protection boot is water resistant, lightweight, and highly robust even in harsh conditions thanks to its rugged design and durable materials. It allows almost unrestricted mobility independent of the individual working position due to its flexible sole. It is comfortable to wear in all climates and for long daily operations.

- ✓ Protection against anti-personnel landmines according to STANAG 2920
- ✓ Special metal free design for mine clearance operations
- ✓ High durability for harsh conditions
- ✓ Ballistics at sole and sides
- ✓ Comfortable to wear in daily operations for all genders



SECURE FOOTWEAR AGAINST ANTIPERSONNEL LANDMINES:

ensuring safety in demining operations



- 1 Special metal free design for mine clearance operations
- 2 1,6 mm – 1,8 mm (0.06 in x 0.07 in) soft calf leather (top skin) for enhanced durability and comfort
- 3 Woven phenolic hard Kevlar® plate at the heel with v50 protection level of 950 m/s (3117 ft/s), as per STANAG 2920
- 4 Optional carrying bag
- 5 Rubberized Kevlar® protective sole with v50 protection level of 650 m/s (2133 ft/s), as per STANAG 2920

DATA SHEET

Blast Protected Combat Boot BCB2

TECHNICAL DATA

Article number	40 – 1180007-40 41 – 1180007-41 42 – 1180007-42 43 – 1180007-43 44 – 1180007-44 45 – 1180007-45
Available sizes (EU) and weight	40 – approx. 1.58 kg (3.48 lbs) 41 – approx. 1.65 kg (3.64 lbs) 42 – approx. 1.75 kg (3.86 lbs) 43 – approx. 1.83 kg (4.03 lbs) 44 – approx. 1.89 kg (4.17 lbs) 45 – approx. 2.01 kg (4.43 lbs)
Colors	Black
Protection (sole part)	Rubberized Kevlar® protective sole with protection level v50 = 650 m/s (2133 ft/s) according to STANAG 2920 Woven phenolic hard Kevlar® plate at the heel with protection level v50 = 950 m/s (3117 ft/s) according to STANAG 2920
Protection (upper part)	Woven Kevlar® (except fabric parts)
Structural material of sole	Natural rubber with phylon
Membrane part	Waterproof membrane lining (optional)
Fabric part	Polyamide Mil-Spec MIL-DTL-32439 Type I Class III, 1000D (water repellent)
Webbing	Textured Nylon Mil-Spec W-17337 Class 2 Black Type V
Sewing thread	Nylon Mil-Spec A-A-59826

DATA SHEET

Blast Protected Combat Boot BCB2

TECHNICAL DATA

Lace	Textured Nylon Mil-Spec MIL-C-5040 Type III
Leather thickness	1.6 mm to 1.8 mm (0.06 in to 0.07 in) soft calf leather (top skin)
Warranty	12 months against labor faults
Life time of Fragmentation Protection	5 years

