



PROTECTION

FRAGMENTATION SHIELD

Fragmentation shield against
fragments of exploding mines

forceware.de



FRAGMENTATION SHIELD

Fragmentation shield against fragments of exploding mines

The Fragmentation Shield is a protection shield which has been specifically designed for mine clearance and explosive ordnance disposal (EOD) work. It supports EOD technicians in operations where a protection is required from anti-personnel mines or other explosives.

The shield has two telescopic legs that can be placed into the ground. This supports an upright position. Also, it is characterized by a centrally located window. Four soft handles are fitted to the reverse of the shield to assist in carrying it.

- ✓ Protection level 650 m/s (2133 ft/s) or 750 m/s (2461 ft/s) according to STANAG 2920
- ✓ Telescopic legs for comfortable use
- ✓ The shield is available with an optional foot pedal for improved anchorage



DATA SHEET

Fragmentation Shield

TECHNICAL DATA

Article number	650 m/s (2133 ft/s) – 1100300-65 750 m/s (2461 ft/s) – 1100300-75
Protection level	v50 = 650 m/s (2133 ft/s) or 750 m/s (2461 ft/s) according to STANAG 2920
Color	Black
Weight	650 m/s (2133 ft/s) – approx. 14.00 kg (30.86 lbs) 750 m/s (2461 ft/s) – approx. 17.00 kg (37.48 lbs)
Dimensions	130 cm x 70 cm (51.18 in x 27.56 in)

